

DH90-III N  
DH91-III N  
DH92-III N  
DH93-III N  
DH94-III N  
DH95-III N  
DH97-III N  
DH98-III N

3841

0574- 28828003

135- 8652- 6531

[www.csb17.com](http://www.csb17.com)

E-mail : [dh@dlhoo.cc](mailto:dh@dlhoo.cc)

## 一、概述

DH92-11N

(1) 20-25KHz 650W(max)  
 (2) :  
 2 3 6 8 20-650W  
 10 12 15 200-800W  
 (3) 6 . : 2 3 6 8 10 12 15

1 -99  
 1 -99  
 1 -99  
 Q. 3% 99.7%  
 220VAC/50Hz

250X280X480

220X400X290

: 23Kg

DH98- N

1 18-21KHz 450W 1200W  
 2 10 15 20 22 25 20

1 -99  
 1 -99  
 1 -99  
 Q. 3% 99.7%  
 220VAC/50Hz

250X280X480


220X400X290



: 23Kg

三、工作原理：

220VAC 50HZ

20-25kHz 600V





1	W
2	
3	
4	
5 /	5 2 3 1
6	0-9
7	0-9
8	
9	
10	
11	



(

16

17 )

死机。

### 六、注意事项

(1)

(2)

2 3 6 DH98-111N 5 10 DH92-111N

(3)

(4) DH92-111N 5m 2 3 DH98-111N 100m  
10 1cm

0.5cm

0.5 1

(5)

15mm

(6)

(7)

1-5

3-5

(8)

(9)

3cm

400W


5cm.

### 七、变幅杆适用范围：

		2	3	6	8	10	12
DH92-111N	m	0.5-2	2-5	5-200	10-300	10-350	15-350

		10	15	20	22	25
DH98-111N	m	100-200	200-500	500-1000	500-1100	500-1200

八、变幅杆的  
拆装如图三：



MO

1/2

九、开箱清单:

1	2	(	)
3	4		
5	6		
7	8	8A	5A
9	10		2
11			

[www.Metalbath.cc](http://www.Metalbath.cc)

[www.csb17.net](http://www.csb17.net)

[www.Viscometer.cc](http://www.Viscometer.cc)

[www.csb17.com](http://www.csb17.com)

[www.nb-huaxun.com](http://www.nb-huaxun.com)

[www.nb-huaxun.com](http://www.nb-huaxun.com)

[www.nb-huaxun.com/English/](http://www.nb-huaxun.com/English/) pressure cleaner

[www.dooya.com](http://www.dooya.com)

[www.hxpw.net](http://www.hxpw.net) Tubular motor

[www.bit17.com](http://www.bit17.com)

[www.hr17.com](http://www.hr17.com)

[www.photochemical.net](http://www.photochemical.net)

[www.brooder.net](http://www.brooder.net)

[www.csb17.cn](http://www.csb17.cn)